

# **Bonus**

## **ChatGPT Widget Customizer Guide**

# Disclaimer

The information presented in this report is for educational and informational purposes only. While every effort has been made to ensure the accuracy of the information provided, the author makes no guarantees of income, success, or specific results. Any examples of results or earnings are not typical and should not be interpreted as a promise or guarantee of results.

Your level of success in attaining the results claimed depends on factors including your background, dedication, effort, and the current market conditions. The strategies outlined in this report are intended for use in accordance with the terms and policies of the platforms mentioned. Misuse of the information, including violating platform guidelines, may result in account restrictions or other consequences.

The author and publisher assume no responsibility for errors, omissions, or any outcomes resulting from the use of the information contained in this report. Always conduct your own due diligence and seek professional advice when necessary.

By using the strategies outlined in this report, you agree that the author and publisher are not responsible for any decisions you make or any consequences that arise.

# Table Of Contents

<b>Introduction.....</b>	<b>4</b>
<b>Module 1: Keeping a Backup.....</b>	<b>5</b>
<b>Module 2: How to Make Sure Page Text and Images Don't Touch the Widget.....</b>	<b>6</b>
<b>Module 3: Explainer: Editable Aspects in the Code .....</b>	<b>7</b>
<b>Module 4: Long, Detailed Prompts for Customization .....</b>	<b>9</b>
<b>Module 5: Code Changes Needed Per Platform .....</b>	<b>16</b>
<b>Module 6: Pasting the Fixed Script into Your Page Builder .....</b>	<b>17</b>
<b>Conclusion .....</b>	<b>19</b>

# Introduction

This guide walks you through everything you need to know about customizing and deploying your **“Live Buys”** social proof widget.

The widget is powered by a .js file (sales-profit-booster-widget.js) that injects its own HTML and CSS directly into your page.

It’s designed to display recent purchase notifications in a clean, fixed-position box without interfering with the rest of your site.

Here’s what you’ll learn in this guide:

- **Back up and edit the file** so you always have a safe version to revert to.
- **Change text, colors, and layout** to match your branding.
- **Embed the widget** into major page-building platforms, including **OptimizePress, ClickFunnels, Leadpages, and ConvertKit.**
- **Rewrite the JavaScript for each platform** so the widget actually functions in their restricted environments.
- **Keep mobile (small/big phones + tablets) breakpoints and sizing intact** at all times, ensuring your widget looks correct across devices.

By the end of this guide, you’ll have a fully customized widget running smoothly on your chosen platform — no broken layouts, no missing styles, and no compatibility issues.

## Module 1: Keeping a Backup

Before making any changes to `sales-profit-booster-widget.js`, create a backup copy. This ensures you can always roll back if something breaks or a change doesn't work as expected.

### Steps to create a safe backup:

1. **Duplicate the file** on your computer and rename it with today's date.
  - Example: `sales-profit-booster-widget-2025-08-05.js`
2. **Store the backup locally** in a folder dedicated to widget versions.
3. **Upload a copy to cloud storage** like Google Drive, Dropbox, or OneDrive for extra safety.
4. If you use **GitHub or another version control system**, commit the backup before editing.

### Important:

- Never edit the original file directly on your live site.
- Always test changes on a staging page or test URL before updating your live version.

## Module 2: How to Make Sure Page Text and Images Don't Touch the Widget

The widget's position is fixed and does not move.

To keep your page text, images, and other elements clear of the widget, you must set your content width correctly for each device size.

### Desktop (Large Screens)

Set your main content container to **720px wide** and center it.

This width keeps all text and images well inside the safe zone, leaving enough space on the right for the widget.

### Tablets & Large Mobile (481px–767px)

Set your content width to around **90% of the screen width** and keep it centered.

This ensures the widget remains visible on the right without overlapping your content.

### Small Mobile (≤480px)

Content can be full width, but keep **16px padding** on both left and right edges.

This matches your existing mobile layout and ensures the bottom-center widget never overlaps text or images.

---

### For Non-Coders Using Page Builders

If you're using OptimizePress, ClickFunnels, or Leadpages and don't want to edit CSS:

- **OptimizePress** – In the Page Builder, set your content block's **max width to 720px** for desktop. In mobile settings, keep the default padding (usually 15–20px) on each side.
- **ClickFunnels** – Edit the section containing your text/images. Under **Advanced → Width**, set it to **720px** for desktop. Keep mobile width at 100% with padding of at least 15px.
- **Leadpages** – In the widget or section settings, set a **custom max width** of 720px for desktop. Use the responsive settings to ensure mobile keeps 15–20px side padding.

## Module 3: Explainer: Editable Aspects in the Code

Your sales-profit-booster-widget.js file is built so you can directly change visual and text elements by editing its HTML, CSS, and variable values inside the script.

Below are the areas you can safely customize without affecting widget functionality.

---

### Background Colors

These control the colors of key parts of the widget:

- #0f1118 – Widget background.
  - #1e90ff – HOT badge background.
  - #00ffff – Status message text color.
  - #fff – Main text color.
- 

### Text Labels

You can edit these static text strings:

- "HOT" – The small badge label.
- "Live Buys" – The main widget heading.
- "Tracking today's activity." – Status message text.
- "Total purchases today:" – Footer text before the total number.
- "just now" – Time indicator for recent events.
- Dynamic text template:

`${e.name} just bought "${PRODUCT_NAME}"`

- *(You can change the wording here to better match your sales message.)*
- 

### Font Styles

- Inline font sizes such as:
  - font-size:1.1rem – Used for the main heading.
  - font-size:0.75rem – Used for secondary text.

## Spacing

- Padding, margins, and gaps applied directly in inline styles control the spacing between elements.
- 

## Widget Position

- Desktop positioning values:
    - bottom:20px – Distance from bottom of the screen.
    - right:20px – Distance from the right edge of the screen.
- 

## Recent List Content

- The list of recent purchases is built inside the `<div id="recent-list">` container.
- You can pre-load it with custom entries or adjust how they display.



## Module 4: Long, Detailed Prompts for Customization

These prompts are for use with an AI or developer to make changes **precisely** without breaking the widget.

Each prompt:

- References the **exact section** of sales-profit-booster-widget.js where the change must be applied.
- Clearly describes the change to be made.
- Always states:

“Do not touch mobile (small/big phones + tablets) breakpoints, sizing values, or unrelated code.”

- Requests **only the updated code**, not the full file unless needed.
- 

### Text Labels

**Change HOT label text:**

In sales-profit-booster-widget.js, change the text HOT in the HTML or JavaScript to your desired text.

Do not touch mobile (small/big phones + tablets) breakpoints, sizing values, or unrelated code.

Return the answer in two parts:

1. **Locate:** Show the exact line or snippet in my current file that contains HOT or the position where new code must be added.
2. **Replace/Add:** Provide only the updated or newly added code line with my desired text.

**Change “Live Buys” heading text:**

In sales-profit-booster-widget.js, change the text Live Buys in the HTML or JavaScript to your desired text.

Do not touch mobile (small/big phones + tablets) breakpoints, sizing values, or unrelated code.

Return the answer in two parts:

1. **Locate:** Show the exact line or snippet in my current file that contains Live Buys or the position where new code must be added.
  2. **Replace/Add:** Provide only the updated or newly added code line with my desired text.
- 

**Change status message text:**

In sales-profit-booster-widget.js, change the text Tracking today's activity. in the HTML or JavaScript to your desired text.

Do not touch mobile (small/big phones + tablets) breakpoints, sizing values, or unrelated code.

Return the answer in two parts:

1. **Locate:** Show the exact line or snippet in my current file that contains Tracking today's activity. or the position where new code must be added.
  2. **Replace/Add:** Provide only the updated or newly added code line with my desired text.
- 

**Change total purchases label text:**

In sales-profit-booster-widget.js, change the text Total purchases today: in the HTML or JavaScript to your desired text.

Do not touch mobile (small/big phones + tablets) breakpoints, sizing values, or unrelated code.

Return the answer in two parts:

1. **Locate:** Show the exact line or snippet in my current file that contains Total purchases today: or the position where new code must be added.
2. **Replace/Add:** Provide only the updated or newly added code line with my desired text.

### Change “just now” label text:

In sales-profit-booster-widget.js, change the string literal just now inside the JavaScript function that appends recent purchases to your desired text.

Do not touch mobile (small/big phones + tablets) breakpoints, sizing values, or unrelated code.

Return the answer in two parts:

1. **Locate:** Show the exact line or snippet in my current file that contains just now or the position where new code must be added.
  2. **Replace/Add:** Provide only the updated or newly added JavaScript line with my desired text.
- 

### Change dynamic purchase text:

In sales-profit-booster-widget.js, change the JavaScript template literal \${e.name} just bought "\${PRODUCT\_NAME}" to your desired dynamic text.

Do not touch mobile (small/big phones + tablets) breakpoints, sizing values, or unrelated code.

Return the answer in two parts:

1. **Locate:** Show the exact line or snippet in my current file that contains \${e.name} just bought "\${PRODUCT\_NAME}" or the position where new code must be added.
  2. **Replace/Add:** Provide only the updated or newly added template literal line with my desired dynamic text.
-

## Colors

### Change widget background color:

In sales-profit-booster-widget.js, change the widget background color value #0f1118 in the relevant CSS or inline style to your desired color.

Do not touch mobile (small/big phones + tablets) breakpoints, sizing values, or unrelated code.

Return the answer in two parts:

1. **Locate:** Show the exact line or snippet in my current file that contains #0f1118 or the position where new code must be added.
  2. **Replace/Add:** Provide only the updated or newly added code line with my desired color value.
- 

### Change HOT badge background color:

In sales-profit-booster-widget.js, change the HOT badge background color value #1e90ff in the relevant CSS or inline style to your desired color.

Do not touch mobile (small/big phones + tablets) breakpoints, sizing values, or unrelated code.

Return the answer in two parts:

1. **Locate:** Show the exact line or snippet in my current file that contains #1e90ff or the position where new code must be added.
  2. **Replace/Add:** Provide only the updated or newly added code line with my desired color value.
- 

### Change status text color:

In sales-profit-booster-widget.js, change the status text color value #00ffff in the relevant CSS or inline style to your desired color.

Do not touch mobile (small/big phones + tablets) breakpoints, sizing values, or unrelated code.

Return the answer in two parts:

1. **Locate:** Show the exact line or snippet in my current file that contains #00ffff or the position where new code must be added.
2. **Replace/Add:** Provide only the updated or newly added code line with my desired color value.

### Change main text color:

In sales-profit-booster-widget.js, change the main text color value #fff in the relevant CSS or inline style to your desired color.

Do not touch mobile (small/big phones + tablets) breakpoints, sizing values, or unrelated code.

Return the answer in two parts:

1. **Locate:** Show the exact line or snippet in my current file that contains #fff or the position where new code must be added.
  2. **Replace/Add:** Provide only the updated or newly added code line with my desired color value.
- 

### Change box shadow color:

In sales-profit-booster-widget.js, change the box shadow color value rgba(0,0,0,0.7) in the relevant CSS or inline style to your desired color.

Do not touch mobile (small/big phones + tablets) breakpoints, sizing values, or unrelated code.

Return the answer in two parts:

1. **Locate:** Show the exact line or snippet in my current file that contains rgba(0,0,0,0.7) or the position where new code must be added.
  2. **Replace/Add:** Provide only the updated or newly added code line with my desired color value.
- 

### Change ring border color:

In sales-profit-booster-widget.js, change the ring border color value rgba(0,255,255,0.3) in the relevant CSS or inline style to your desired color.

Do not touch mobile (small/big phones + tablets) breakpoints, sizing values, or unrelated code.

Return the answer in two parts:

1. **Locate:** Show the exact line or snippet in my current file that contains rgba(0,255,255,0.3) or the position where new code must be added.
2. **Replace/Add:** Provide only the updated or newly added code line with my desired color value.

**Change recent list row background color:**

In sales-profit-booster-widget.js, change the recent list row background color value `rgba(255,255,255,0.05)` in the relevant CSS or inline style to your desired color.

Do not touch mobile (small/big phones + tablets) breakpoints, sizing values, or unrelated code.

Return the answer in two parts:

1. **Locate:** Show the exact line or snippet in my current file that contains `rgba(255,255,255,0.05)` or the position where new code must be added.
2. **Replace/Add:** Provide only the updated or newly added code line with my desired color value.

## Font Styles

### Change “Live Buys” heading font size:

In sales-profit-booster-widget.js, change the font size `font-size:1.1rem`; for the “Live Buys” heading in the inline style to your desired size.

Do not touch mobile (small/big phones + tablets) breakpoints, sizing values, or unrelated code.

Return the answer in two parts:

1. **Locate:** Show the exact line or snippet in my current file that contains `font-size:1.1rem` or the position where new code must be added.
  2. **Replace/Add:** Provide only the updated or newly added code line with my desired font size.
- 

### Change status message font size:

In sales-profit-booster-widget.js, change the font size `font-size:.75rem`; for the status message in the inline style to your desired size.

Do not touch mobile (small/big phones + tablets) breakpoints, sizing values, or unrelated code.

Return the answer in two parts:

1. **Locate:** Show the exact line or snippet in my current file that contains `font-size:.75rem` or the position where new code must be added.
  2. **Replace/Add:** Provide only the updated or newly added code line with my desired font size.
- 

### Change HOT badge font size:

In sales-profit-booster-widget.js, change the font size `font-size:.7rem`; for the HOT badge in the inline style to your desired size.

Do not touch mobile (small/big phones + tablets) breakpoints, sizing values, or unrelated code.

Return the answer in two parts:

1. **Locate:** Show the exact line or snippet in my current file that contains `font-size:.7rem` or the position where new code must be added.
2. **Replace/Add:** Provide only the updated or newly added code line with my desired font size.

## Module 5: Code Changes Needed Per Platform

The widget's sales-profit-booster-widget.js runs without modification on plain HTML pages and standard WordPress sites.

However, page builders like OptimizePress, ClickFunnels, Leadpages, and ConvertKit handle JavaScript differently.

Some load scripts before the page's <body> is ready, others strip <style> tags or HTML from JavaScript strings, and some refresh parts of the page dynamically — removing your widget after it loads.

Because each platform behaves differently, the safest way to adapt the widget is to troubleshoot it **in the context of the actual platform you're using**.

Instead of guessing the correct rewrite, use the universal AI troubleshooting prompt below with the **entire .js file**.

---

### Universal AI Troubleshooting Prompt

I am using the following page builder: [INSERT PLATFORM NAME].

I have uploaded my complete sales-profit-booster-widget.js file for you to review.

Please troubleshoot why this code might not run correctly on this platform.

Return your answer in two parts:

1. **What to locate** — List every exact section, function, or line in the file that needs to be changed. Include direct search terms, variable names, or strings from my file so I can find them quickly.
2. **What to replace or add** — Provide only the modified or new code lines that fix the issues. Do not return the entire file unless absolutely necessary.

**Rules:** Keep all mobile breakpoints, sizing values, and unrelated code untouched. Preserve the widget's original appearance and responsive behavior.

### How to Use This Prompt:

Upload your sales-profit-booster-widget.js file along with the prompt above.

If the tool or developer can't accept file uploads, paste the full contents of the file instead.

By using this approach, you'll get platform-specific, precise edits instead of generic rewrites — keeping your widget looking and functioning exactly as intended while making it fully compatible with your chosen page builder.



## Module 6: Pasting the Fixed Script into Your Page Builder

Once your sales-profit-booster-widget.js file has been modified for your specific platform, you'll need to embed it correctly so it loads and runs without interference.

Every page builder places different restrictions on where and how scripts can be added.

This section shows you exactly where to paste the **final, platform-safe script** for each builder.

---

### OptimizePress

1. Open your page in **Page Builder**.
2. Add a **Custom HTML/JS** block where you want the widget to appear.
3. Paste your **final fixed <script> code** (the one referencing or containing the updated .js logic).
4. Save and publish the page.

**Note:** Never paste script code into a text block — OptimizePress will strip it out.

---

### ClickFunnels

1. Edit your funnel page.
  2. Drag a **Custom HTML/JS** element into the desired section.
  3. Switch to **code view** and paste the **final fixed <script> code**.
  4. Save without returning to visual mode — this prevents ClickFunnels from stripping tags.
- 

### Leadpages

1. Edit your page in Leadpages.
2. Add an **HTML widget block** where you want the widget displayed.
3. Paste your **final fixed <script> code** into the block.
4. Save and publish the page.

## ConvertKit

1. Edit your landing page or form.
2. Add a **Custom HTML block** or paste the **final fixed <script> code** directly after your form content.
3. Save and publish.

---

### Tip:

Always test your page after publishing to confirm the widget appears and behaves correctly on both desktop and mobile. If anything looks off, revisit Module 5 and re-run the troubleshooting prompt for that specific platform.

## Conclusion

You now have everything you need to fully control, customize, and deploy the Sales Profit Booster widget on any platform.

From backing up your JavaScript file, editing every visual and text element, and adapting the code for different page builders, to ensuring your page layout keeps the widget clear and visible on all devices — every step is covered.

Whether you're working in raw HTML or using a drag-and-drop builder, the principles remain the same:

- Keep mobile breakpoints, sizing, and responsiveness untouched.
- Make edits with precision using the locate/replace prompts.
- Test your changes in a staging environment before going live.

By following this guide, your widget will not only work flawlessly, but it will also blend seamlessly into your page design without interfering with your content — delivering maximum visibility and impact.

# **Copyright Notice**

**© 2025, Sales Profit Booster - All Rights Reserved.**

This report and its contents are protected by copyright law. No part of this report may be copied, reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of the author, except in the case of brief quotations used in reviews or educational settings.

This report's unauthorized reproduction or distribution is prohibited and may result in legal action.